ELSEVIER

Applied Numerical Mathematics 33 (2000) 541–543

APPLIED NUMERICAL MATHEMATICS

www.elsevier.nl/locate/apnum

Author Index—Volume 33 (2000)

(The issue number is given in front of page numbers)

Ainsworth, M., see **Sherwin, S.J.** (1–4) 357–363
Auteri, F. and L. Quartapelle, Spectral influence matrix for vorticity without corner pathology (1–4) 135–142

Baltensperger, R., Improving the accuracy of the matrix differentiation method for arbitrary collocation points (1–4) 143–149
Bar-On, I., Å. Edlund and U. Peskin, Parallel solution of the multidimensional Helmholtz/Schroedinger equation using high order methods (1–4) 95–104
Bar-Yoseph, P.Z., Time finite element methods for initial value problems (1–4) 435–445
Bergeron, K., see **Lynov, J.P.** (1–4) 175–181
Bialecki, B., see **Li, B.** (1–4) 299–306
Black, K., Spectral element approximation of convection–diffusion type problems (1–4) 373–379

Comincioli, V., G. Naldi and T. Scapolla, A wavelet-based method for numerical solution of nonlinear evolution equations (1–4) 291–297
Costa, B. and W.S. Don, On the computation of high order pseudospectral derivatives (1–4) 151–159
Coutsias, E.A., see **Lynov, J.P.** (1–4) 175–181

de Frutos, J. and J. Novo, A postprocess based improvement of the spectral element method (1–4) 217–223
Deville, M.O., see **Magère, E.** (1–4) 241–249
Dinesen, P.G., J.S. Hesthaven and J.P. Lynov, A pseudospectral collocation time-domain method for diffractive optics (1–4) 199–206
Don, W.S., see **Costa, B.** (1–4) 151–159

Edlund, Å., see **Bar-On, I.** (1–4) 95–104

Fairweather, G., see **Li, B.** (1–4) 299–306
Forestier, M.Y., R. Pasquetti, R. Peyret and C. Sabbah, Spatial development of wakes using a spectral multi-domain method (1–4) 207–216
Fournié, M., High order conservative difference methods for 2D drift-diffusion model on non-uniform grid (1–4) 381–392

Gelb, A. and E. Tadmor, Enhanced spectral viscosity approximations for conservation laws (1–4) 3–21
Gerdes, K., see **Schötzau, D.** (1–4) 349–356
Gerritsma, M.I. and T.N. Phillips, Compatible approximation spaces for the velocity–pressure–stress formulation for creeping flows (1–4) 225–231
Givoli, D., see **Sidi, A.** (1–4) 327–340
Godunov, S.K., M. Sadkane and M. Robbé, Smoothing techniques and computation of invariant subspaces of elliptic operators (1–4) 341–347
Goldberg, M., Stability criteria for finite difference approximations to parabolic systems (1–4) 509–515
Gustafsson, B. and L. Hemmingsson-Frändén, Implicit high-order difference methods and domain decomposition for hyperbolic problems (1–4) 493–500

Hemmingsson-Frändén, L., see **Gustafsson, B.** (1–4) 493–500
Herrero, H. and A.M. Mancho, Numerical modeling in Chebyshev collocation methods applied to stability analysis of convection problems (1–4) 161–166
Hesthaven, J.S., Spectral penalty methods (1–4) 23–41
Hesthaven, J.S., see **Dinesen, P.G.** (1–4) 199–206
Hesthaven, J.S., see **Yang, B.** (1–4) 281–289
Heuer, N., Schwarz method for systems of boundary integral equations (1–4) 447–453
Hu, C., see **Lepsky, O.** (1–4) 423–434
Huang, W. and T. Tang, Pseudospectral solutions for steady motion of a viscous fluid inside a circular boundary (1–4) 167–173

Kamenetskii, D.S., On one form of representing the difference potentials (1–4) 501–508
Karamanos, G.-S. and S.J. Sherwin, A high order splitting scheme for the Navier–Stokes equations with variable viscosity (1–4) 455–462
Karniadakis, G.E., see **Kirby, R.M.** (1–4) 393–405
Kirby, R.M., T.C. Warburton, I. Lomtev and G.E. Karniadakis, A discontinuous Galerkin spectral/*hp* method on hybrid grids (1–4) 393–405
Kleiser, L., see **Wilhelm, D.** (1–4) 275–280

Lepsky, O., C. Hu and C.-W. Shu, Analysis of the discontinuous Galerkin method for Hamilton–Jacobi equations (1–4) 423–434
Levy, D., G. Puppo and G. Russo, On the behavior of the total variation in CWENO methods for conservation laws (1–4) 407–414
Levy, D., G. Puppo and G. Russo, A third order central WENO scheme for 2D conservation laws (1–4) 415–421
Li, B., G. Fairweather and B. Bialecki, A Crank–Nicolson orthogonal spline collocation method for vibration problems (1–4) 299–306
Lomtev, I., see **Kirby, R.M.** (1–4) 393–405
Louchart, O. and A. Randriamampianina, A spectral iterative domain decomposition technique for the incompressible Navier–Stokes equations (1–4) 233–240
Lynov, J.P., K. Bergeron, E.A. Coutsias and A.H. Nielsen, An accurate and efficient spectral method for studies of the dynamical properties of forced, circular shear layers (1–4) 175–181
Lynov, J.P., see **Dinesen, P.G.** (1–4) 199–206

Magère, E. and M.O. Deville, Simulation of the Taylor–Couette flow in a finite geometry by spectral element method (1–4) 241–249
Mancho, A.M., see **Herrero, H.** (1–4) 161–166
Matache, A.-M. and Ch. Schwab, Homogenization via *p*-FEM for problems with microstructure (1–4) 43–59
Mund, E.H., A short survey on preconditioning techniques in spectral calculations (1–4) 61–70

Naldi, G., see **Comincioli, V.** (1–4) 291–297
Nielsen, A.H., see **Lynov, J.P.** (1–4) 175–181
Novo, J., see **de Frutos, J.** (1–4) 217–223

Owens, R.G., see **Valenciano, J.** (1–4) 365–371

Pasquetti, R., see **Forestier, M.Y.** (1–4) 207–216
Pavarino, L.F., Domain decomposition methods with small overlap for $Q_n - Q_{n-2}$ spectral elements (1–4) 463–470
Peskin, U., see **Bar-On, I.** (1–4) 95–104
Petropoulos, P.G., Reflectionless sponge layers for the numerical solution of Maxwell's equations in cylindrical and spherical coordinates (1–4) 517–524
Peyret, R., see **Forestier, M.Y.** (1–4) 207–216
Phillips, R.M. and T.N. Phillips, Flow past a cylinder using a semi-Lagrangian spectral element method (1–4) 251–257
Phillips, T.N., see **Gerritsma, M.I.** (1–4) 225–231
Phillips, T.N., see **Phillips, R.M.** (1–4) 251–257
Puppo, G., see **Levy, D.** (1–4) 407–414
Puppo, G., see **Levy, D.** (1–4) 415–421

Quartapelle, L., see **Auteri, F.** (1–4) 135–142

Radvogin, Y.B. and N.A. Zaitsev, A locally implicit second order accurate difference scheme for solving 2D time-dependent hyperbolic systems and Euler equations (1–4) 525–532
Randriamampianina, A., see **Louchart, O.** (1–4) 233–240
Rempfer, D., see **Reuter, J.** (1–4) 105–111

Reuter, J. and D. Rempfer, High order vorticity–velocity method for the simulation of pipe flow transition (1–4) 105–111
Robbé, M., see **Godunov, S.K.** (1–4) 341–347
Russo, G., see **Levy, D.** (1–4) 407–414
Russo, G., see **Levy, D.** (1–4) 415–421
Ryaben'kii, V., Nonreflecting time-dependent boundary conditions on artificial boundaries of varying location and shape (1–4) 481–492
Ryaben'kii, V.S. and I.L. Sofronov, Difference potentials for the Helmholtz equation in exterior domains (1–4) 533–540

Sabbah, C., see **Forestier, M.Y.** (1–4) 207–216
Sadkane, M., see **Godunov, S.K.** (1–4) 341–347
Scapolla, T., see **Comincioli, V.** (1–4) 291–297
Schötzau, D., K. Gerdes and C. Schwab, Stable and stabilized *hp*–finite element methods for the Stokes problem (1–4) 349–356
Schwab, C., see **Schötzau, D.** (1–4) 349–356
Schwab, Ch., see **Matache, A.-M.** (1–4) 43– 59
Shen, J., A new fast Chebyshev–Fourier algorithm for Poisson-type equations in polar geometries (1–4) 183–190
Shen, J., F. Wang and J. Xu, A finite element multigrid preconditioner for Chebyshev–collocation methods (1–4) 471–477
Sherwin, S.J. and M. Ainsworth, Unsteady Navier–Stokes solvers using hybrid spectral/*hp* element methods (1–4) 357–363
Sherwin, S.J., see **Karamanos, G.-S.** (1–4) 455–462
Shu, C.-W., see **Lepsky, O.** (1–4) 423–434
Sidi, A. and D. Givoli, Stability and accuracy of optimal local non-reflecting boundary conditions (1–4) 327–340
Sofronov, I.L., see **Ryaben'kii, V.S.** (1–4) 533–540
Spotz, W.F., M.A. Taylor and P.N. Swarztrauber, Fast and high-order solutions to the spherical shallow water equations (1–4) 191–197
Swarztrauber, P.N., see **Spotz, W.F.** (1–4) 191–197

Tadmor, E., see **Gelb, A.** (1–4) 3– 21
Tang, T., see **Huang, W.** (1–4) 167–173
Tangborn, A. and S.Q. Zhang, Wavelet transform adapted to an approximate Kalman filter system (1–4) 307–316
Taylor, M.A. and B.A. Wingate, A generalized diagonal mass matrix spectral element method for non-quadrilateral elements (1–4) 259–265
Taylor, M.A., see **Spotz, W.F.** (1–4) 191–197
Tse, K.L., Simulation of penetrative convection with adaptive spectral domain decomposition method (1–4) 267–274
Turkel, E. and A. Yefet, On the construction of a high order difference scheme for complex domains in a Cartesian grid (1–4) 113–124
Turkel, E., see **Yefet, A.** (1–4) 125–134

Valenciano, J. and R.G. Owens, An *h*–*p* adaptive spectral element method for Stokes flow (1–4) 365–371

Waldén, J., A general adaptive solver for hyperbolic PDEs based on filter bank subdivisions (1–4) 317–325
Wang, F., see **Shen, J.** (1–4) 471–477
Warburton, T.C., see **Kirby, R.M.** (1–4) 393–405
Wilhelm, D. and L. Kleiser, Stable and unstable formulations of the convection operator in spectral element simulations (1–4) 275–280
Wingate, B.A., see **Taylor, M.A.** (1–4) 259–265

Xu, J., see **Shen, J.** (1–4) 471–477

Yang, B. and J.S. Hesthaven, Multidomain pseudospectral computation of Maxwell's equations in 3-D general curvilinear coordinates (1–4) 281–289
Yefet, A. and E. Turkel, Fourth order compact implicit method for the Maxwell equations with discontinuous coefficients (1–4) 125–134
Yefet, A., see **Turkel, E.** (1–4) 113–124
Yosibash, Z., Computing singular solutions of elliptic boundary value problems in polyhedral domains using the *p*-FEM (1–4) 71– 93

Zaitsev, N.A., see **Radvogin, Y.B.** (1–4) 525–532
Zhang, S.Q., see **Tangborn, A.** (1–4) 307–316